

Facial Emotion Recognition Using Context Based Multimodal Approach

Priya Metri, Jayshree Ghorpade, Ayesha Butalia
Department of Computer engineering
MIT-COE, Pune.

Abstract — Emotions play a crucial role in person to person interaction. In recent years, there has been a growing interest in improving all aspects of interaction between humans and computers. The ability to understand human emotions is desirable for the computer in several applications especially by observing facial expressions. This paper explores a ways of human-computer interaction that enable the computer to be more aware of the user's emotional expressions we present a approach for the emotion recognition from a facial expression, hand and body posture. Our model uses multimodal emotion recognition system in which we use two different models for facial expression recognition and for hand and body posture recognition and then combining the result of both classifiers using a third classifier which give the resulting emotion . Multimodal system gives more accurate result than a signal or bimodal system

Keywords — Emotion recognition, Multimodal approach, Face Detection, Facial Action Units, Facial expression recognition system, Body posture recognition system

I. INTRODUCTION

Different people express their feelings in a different way under different circumstances (different context).The human sciences contain a bank of literature on emotion which is large, but fragmented [1][6][7][8]. The main sources which are relevant to our approach are in psychology and linguistics, with some input from biology. Emotions play an important role in human-to-human communication and interaction, allowing people to express themselves beyond the verbal domain. Some study in perceiving facial emotions has fascinated the human computer interaction environments. In recent years, there has been a growing interest in improving all aspects of interaction between humans and computers especially in the area of human emotion recognition by observing facial, voice, and physiological signals, where the different modalities are treated independently. Here we present a multimodal approach in which we use two different models one for recognizing the emotion using facial expression and second for hand and body posture as context. The design of above approach is shown in Figure 1.




Figure 1. Block diagram for multimodal approach system.

II. METHODOLOGY

Recently, researchers have also turned to emotional body language, i.e. the expression of emotions through human body poses and/or body motion. An implicit assumption common to the work on emotional body language is that body language is only a different means of expressing the same set of basic emotions as facial expressions. Using a set of emotional body language stimuli, which was originally prepared for neuro scientific studies, we show that human observers, as expected, perform very well on this task, and construct a model of the underlying processing stream. The model is then tested on the same stimulus set. The data we use for our work is should based on the database which was originally created FABO [9] bimodal database consisting of combined face and body expressions recorded simultaneously. Which is as shown in Figure 2. Here segmentation process is applied based on a background subtraction method on image in order to obtain the silhouette of the upper body. We then apply thresholding, noise cleaning, morphological filtering and connected component labeling. We extract the face and the hands automatically from image, by exploiting skin color information. The hand position consists of the position of the centroid and in-plane rotation. We employ the Camshift algorithm [11] for tracking the hands and predicting their locations in image. Orientation feature helps to discriminate between different poses of the hand together with the edge density information. These body features we give to the classifier as input to get the emotion.



Figure 2.Examples of affective body gestures (from the FABO database).

As you can check in Figure 1, our approach have two different models

1. Facial expression recognition system (FERS).
2. Body posture recognition system (BPRS).

III. RELATED WORK

1. Facial expression recognition system (FERS).

The leading study of Ekman and Friesen formed the basis of visual facial expression recognition. Their studies suggested that anger, disgust, fear, happiness, sadness and surprise are the six basic prototypical facial expressions recognized universally [2].Here we consider eight emotional states: *Anger*,

Despair, *Interest*, *Pleasure*, *Sadness*, *Irritation*, *Joy* and *Pride*. We choose this set of features in order to obtain emotions. Block diagram of the process to find the features from face is as shown in Figure 3.



















Figure 3.Block Diagram for FERS Model.

Initially a face detection algorithm is applied to find out the face from given image. Face detection is to identify all image regions which contain a face regardless of its three-dimensional position, orientation, and lighting conditions. Such a problem is challenging because faces are no rigid and have a high degree of variability in size, shape, color, and texture [4]. Figure 4 shows the Face features extraction system. Ekman and Friesen [5] have produced a system for describing “all visually distinguishable facial movements,” called the *Facial Action Coding System* or *FACS*.

It is based on the enumeration of all “action units” (*AUs*) of a face that cause facial movements [10]. There are 46 *AUs* in FACS that account for changes in facial expression .The combination of these action units result in a large set of possible facial expressions. Table I shows Some AU and their associated facial change obtained from Ekman’s study [12].

Table I Some AU and their associated facial change obtained from Ekman’s study [12].

AU1  Inner brow raiser	AU2  Outer brow raiser	AU4  Brow Lowerer	AU5  Upper lid raiser	AU6  Cheek raiser
AU7  Lid tighten	AU9  Nose wrinkle	AU12  Lip corner puller	AU15  Lip corner depressor	AU17  Chin raiser
AU23  Lip tighten	AU24  Lip presser	AU25  Lips part	AU26  Jaw drop	AU27  Mouth stretch

Recognition of facial expressions can be achieved by categorizing a set of such predetermined features as in FACS.Here we take a input face which is an outcome of face detection algorithm .We extract the facial action units from face using FACS .These feature points then given to the classifier which also takes input from body posture recognition system to find out emotion.




Figure 4. Block diagram of FERS

2. Body posture recognition system (BPRS).

As we extract Facial Action Units from face the same way we extract the body posture and hand postures as Body Action Units (BAU). We use Clamshift Algorithm [11] to extract BAU's from image as shown in Table II. The block diagram of body posture recognition system as shown in the Figure 5.




Figure 5. Body posture recognition system

We then classified the data from expressive face and body into labeled emotion categories using Bayesian classifier.




Figure 5 Bayesian classifier for emotion

Table II. Emotion and the respective Facial expression and Body posture

Expression	Face Gesture	Body Gesture
neutral	no expression	hands on the table, relaxed
anger	brows lowered and drawn together lines appear between brows lower lid tense/ may be raised upper lid tense/lowered due to brows' action lips are pressed together with corners straight or down or open	open/expanded body hands on hips/waist closed hands / clenched fists palm-down gesture lift the right/ left hand up finger point with right/left hand, shake the finger/hand crossing the arms
Surprise	brows raised skin below brow	right/left hand going to the head

	stretched, not wrinkled horizontal wrinkles across forehead eyelids opened jaw drops open or stretching of the mouth	both hands going to the head moving the right/left hand up two hands touching the head two hands touching the face, mouth right/left hand touching the face, mouth both hands over the head right/left hand touching the face self-touch two hands covering the cheeks self-touch two hands covering the mouth head shaking body shift-backing
Fear	brows raised and drawn together forehead wrinkles drawn to the center upper eyelid is raised and lower eyelid is drawn up mouth is open lips are slightly tense or stretched and drawn back	body contracted closed body/closed hands / clenched fist body contracted, arms around the body self-touch (disbelief)/ covering the body parts/ arms around the body/shoulders body shift- backing, hand covering the head body shift- backing, hand covering the neck body shift- backing, hands covering the face. both hands over the head self-touch (disbelief) covering the face with hands
Happiness	corners of lips are drawn back and up mouth parted/not with teeth exposed/not cheeks are raised lower eyelid shows wrinkles below it wrinkles around the outer corners of the eyes	body extended hands clapping arms lifted up or away from the body with hands made into fists
Disgust	upper lip is raised lower lip is raised and pushed up to upper lip or it is lowered nose is wrinkled cheeks are raised brows are lowered	hands close to the body body shift- backing orientation changed/moving to the right or left backing, hands covering the head backing, hands covering the neck backing, right/left hand on the mouth backing, move right/left hand up
Sadness	inner corners of eyebrows are drawn up	contracted/closed body dropped shoulders bowed head

	upper lid inner corner is raised corners of the lips are drawn downwards	body shift- forward leaning trunk covering the face with two hands self-touch (disbelief)/ covering the body parts/ arms around the body/shoulders body extended +hands over the head hands kept lower than their normal position, hands closed move slowly two hands touching the head move slowly one hand touching the neck, move hands together, closed and head bent
--	--	---

IV. DISCUSSION

Emotion modulates almost all modes of human communication —facial expression, gestures, posture, tone of voice, choosing of words, respiration, skin temperature and clamminess, etc. Emotions can significantly change the message: sometimes it is not what was said that is the most important, but how it was said. Faces tend to be the most visible form of emotion communication, but they are also most easily controlled in response to different social situations when compared to the voice and other ways of expression. As noted by Picard² affect recognition is most likely to be accurate when it combines multiple modalities, information about the user's context, situation, goal, and preferences. A combination of low-level features, high-level reasoning, and natural language processing is likely to provide the best emotion inference. The reason as to why the system trained with body gesture features proved to be the most successful may reside in the fact that, in the corpus of acted emotional expressions, each emotion is represented by a specific type of gesture: participants were provided with specific instructions in order to perform different gestures for each emotion. While this choice was made in order to build a system capable of recognizing different types of body gestures based on movement expressivity, it may have made the discrimination of emotions from body gesture easier than using facial and speech features [3].

V. CONCLUSION

The addition of body gesture information to facial expression for emotion recognition is novel. Consideration of multiple modalities is helpful when some modality feature values are missing or unreliable. By taking all of these aspects into account, we hope to be able to develop into the near future multimodal context-sensitive systems that are smart, perceptually aware, recognize the context in which they act, can adapt to their users, and can understand how they feel, and respond appropriately

REFERENCES

- [1] Irfan A. Essa and Alex P. Pentland "Coding, Analysis, Interpretation, and Recognition of Facial Expressions" IEEE TRANSACTIONS ON PATTERN ANALYSIS AND MACHINE INTELLIGENCE, VOL. 19, NO. 7, JULY 1997
- [2] Hatice Gunes and Massimo Piccardi A Bimodal Face and Body Gesture Database for Automatic Analysis of Human Nonverbal Affective Behavior Computer Vision Research Group, University of Technology, Sydney (UTS) P.O. Box 123, Broadway 2007, NSW, Australia {haticeg, massimo} @ it.uts.edu.au Proceedings of the 18th International Conference on Pattern Recognition (ICPR'06) 0-7695-2521-0/06 \$20.00 © 2006 IEEE.
- [3] Loic Kessous · Ginevra Castellano · George Caridakis Multimodal emotion recognition in speech-based interaction using facial expression, body gesture and acoustic analysis Received: 16 April 2009 / Accepted: 11 November 2009 © OpenInterface Association 2009 J Multimodal User Interfaces DOI 10.1007/s12193-009-0025-5 L. Kessous (✉) 30 chemin du Lancier, Marseille 13008, France e-mail: loic.kessous@gmail.com G. Castellano Department of Computer Science, School of Electronic Engineering and Computer Science, Queen Mary University of London, Mile End Road, London E1 4NS, UK e-mail: ginevra@dcs.qmul.ac.uk G. Caridakis Image, Video and Multimedia Systems Laboratory, School of Electrical and Computer Engineering, National Technical University of Athens, Athens, Greece e-mail: gcari@image.ece.ntua.gr Springer.
- [4] Ming-Hsuan Yang, Member, IEEE, David J. Kriegman, Senior Member, IEEE, and Narendra Ahuja, Fellow, IEEE. Detecting Faces in Images: A Survey IEEE TRANSACTIONS ON PATTERN ANALYSIS AND MACHINE INTELLIGENCE, VOL. 24, NO. 1, JANUARY 2002
- [5] Paul Ekman and Wallace V. Friesen University of California, Facial signs of emotional experience Journal of Personality and Social Psychology. 1980 Vol 19, No 6, 1123-1134
- [6] Nicu Sebea, Ira Cohenb, Theo Geversc, and Thomas S. Huangc Multimodal Approaches for Emotion Recognition: A Survey Faculty of Science, University of Amsterdam, The Netherlands; bHP Labs, USA; cBeckman Institute, University of Illinois at Urbana-Champaign, USA
- [7] Majdi Dammak, Mohamed Ben Ammar, Adel M. Alimi A New Approach to Emotion Recognition REGIM: REsearch Group on Intelligent Machines, University of Sfax, National school of engineers (ENIS), BP1173, Sfax, 3038, Tunisia majdi.dammak@ieec.org, mohamed.benammar@ieec.org, adel.alimi@ieec.org 2011 International Conference on Innovations in Information Technology
- [8] Caifeng Shan, Shaogang Gong, and Peter W. McOwan Beyond Facial Expressions: Learning Human Emotion from Body Gestures Department of Computer Science Queen Mary, University of London Mile End Road, London E1 4NS, UK fcfshan, sgg, pmcog@dcs.qmul.ac.uk
- [9] Angeliki Metallinou¹, Athanassios Katsamanis¹, Yun Wang² and Shrikanth Narayanan¹ TRACKING CHANGES IN CONTINUOUS EMOTION STATES USING BODY LANGUAGE AND PROSODIC CUES University of Southern California, Los Angeles, CA, 2 Carnegie Mellon University, Pittsburgh, PA 78-1-4577-0539-7/11/\$26.00 ©2011 IEEE 2288 ICASSP 2011
- [10] Konrad Schindler a; Luc Van Gool a;b, Beatrice de Gelder c Recognizing Emotions Expressed by Body Pose: a Biologically Inspired Neural Model aBIWI, Eidgenössische Technische Hochschule, Zürich, Switzerland bVISICS, Katholieke Universiteit Leuven, Heverlee, Belgium cCognitive & Affective Neurosciences Lab, Tilburg University, Netherlands Article published in Neural Networks, 2008
- [11] Gary R. Bradski, Microcomputer Research Lab, Santa Clara, CA, Intel Corporation Computer Vision Face Tracking For Use in a Perceptual User Interface Intel Technology Journal Q2 '98
- [12] Paul Ekman David Mastumoto and Wallace V. Friesen University of California, Facial expression in Affective disorders, New York Oxford University Press 1997